



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/038,162	01/02/2002	Doron Orenstien	42390P10918	7820
8791	7590	05/03/2006	EXAMINER	
BLAKELY SOKOLOFF TAYLOR & ZAFMAN			LAU, TUNG S	
12400 WILSHIRE BOULEVARD			ART UNIT	
SEVENTH FLOOR			PAPER NUMBER	
LOS ANGELES, CA 90025-1030			2863	

DATE MAILED: 05/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Supplemental
Notice of Allowability**

Application No.

10/038,162

Examiner

Tung S. Lau

Applicant(s)

ORENSTIEN ET AL.

Art Unit

2863

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 09/15/2005.
2. ☒ The allowed claim(s) is/are 28-46.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Thomas M. Coester #39,637 on April 17, 2006.

The application has been amended as follows:

In claim 28, line 6, replace " relation" with – relative –

In claim 35, line 6, replace " relation" with – relative –

In claim 41, line 8, replace " relation" with – relative –

Remarks: the examiner's amendment dated 04/03/2006, line 8, page 2, "In claim 1" should be "In claim 28", this is to correct a typing error.

Amendments to claims 28, 35 and 41 were made to correct a typing error, this system is deemed to be non-obvious over the systems of the prior art.

Allowable Subject Matter

2. Claims 28-46 are allowed.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance:

Art Unit: 2863

Independent claims 28, 35 and 41 contain allowable subject matter. None of the prior art of record shows or fairly suggests the claimed invention.

Regarding claim 28:

The primary reason for the allowance of claim 28 is the inclusion of the apparatus including the mathematical function linear relative to the count. It is these features found in the claim, as they are claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes this claim allowable over the prior art.

Claims 29-34 are allowed due to their dependency on claim 28.

Regarding claim 35:

The primary reason for the allowance of claim 35 is the inclusion of the method including the mathematical function linear relative to the number of times the first function unit was activated. It is these features found in the claim, as they are claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes this claim allowable over the prior art.

Claims 36-40 are allowed due to their dependency on claim 35.

Regarding claim 41:

The primary reason for the allowance of claim 41 is the inclusion of a machine-readable medium containing instructions that when executed by a machine, cause the machine to perform operation including the mathematical function linear relative to the number of times the first function unit was activated. It is these features found in the claim, as they are claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes this claim allowable over the prior art.

Claims 42-46 are allowed due to their dependency on claim 35


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung S Lau whose telephone number is 571-272-2274. The examiner can normally be reached on M-F 9-5:30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on 571-272-2269. The fax phone numbers for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2863

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TL



John Barlow
Supervisory Patent Examiner
Technology Center 2800